

Automotive Science and Engineering

Journal Homepage: ase.iust.ac.ir



Portfolio Optimization with Conditional Drawdown at Risk for the Automotive Industry

Hossein Ghanbari¹, Mostafa Shabani², Emran Mohammadi^{3*}

¹ PhD Candidate in Industrial Engineering, Faculty of Industrial Engineering, Iran University of Science and Technology, Tehran, Iran

² MSc Student in Industrial Engineering, Faculty of Industrial Engineering, Iran University of Science and Technology, Tehran, Iran

³ Associate Professor, Faculty of Industrial Engineering, Iran University of Science and Technology, Tehran, Iran

ARTICLE INFO

ABSTRACT

Article history: Received : 21 May 2023 Accepted: 30 Oct 2023 Published: 27 Nov 2023

Keywords:

Portfolio optimization Conditional drawdown at risk Downside risk measures Cardinality constraint Automotive industry

Portfolio optimization is the process of distributing a specific amount of wealth across various available assets, with the aim of achieving the highest possible returns while simultaneously mitigating investment risks. While numerous studies have investigated portfolio optimization across various domains, there is a notable gap in the literature regarding its application specifically within the automotive industry as one of the largest manufacturing sectors in the global economy. Since the economic activity of this industry has a coherent pattern with that of the global economy, the automotive industry is very sensitive to the booms and busts of business cycles. Due to the volatile global economic environment and significant inter-industry implications, providing an appropriate approach to investing in this sector is essential. Thus, this paper aims to address this need by proposing a suitable investment methodology in the aforementioned sector. In this study, an extended Conditional Drawdown at Risk (CDaR) model with cardinality and threshold constraints for portfolio optimization problems is proposed, which is highly beneficial in practical portfolio management. The feature of this risk management technique is that it admits the formulation of a portfolio optimization model as a linear programming problem. The CDaR risk functions family also enables a risk manager to control the worst (1- α) × 100% drawdowns. In order to demonstrate the effectiveness of the proposed model, a real-world empirical case study from the annual financial statements of automotive companies and their suppliers in the Tehran Stock Exchange (TSE) database is utilized. The empirical results of this study may appeal to investors and risk managers for advanced portfolio management.

1. Introduction

Investment plays a major role in a country's financial sector and has an extraordinary impact on economic growth. By investing in the capital markets, investors are allowed to profit from their current wealth while simultaneously protecting themselves against the losses caused by inflation [1]–[3]. In order to allocate their wealth to the capital markets, investors can choose from various

strategies. One option is to select companies for which they intend to invest. In such cases, they will be able to select their own companies that perform fundamental analysis [4] and control for the appropriate diversification [5] or implement technical analysis [6]. Another option is portfolio optimization, which has been one of the most frequently used investment strategies since it was first introduced by Markowitz in 1952 [7]. In this pioneering work, Markowitz introduced the mean-

"Automotive Science and Engineering" is licensed under a Creative Commons Attribution-Noncommercial 4.0

International License.

^{*}Corresponding Author: Emran Mohammadi Email Address: E_mohammadi@iust.ac.ir https://doi.org/10.22068/ase.2023.647

variance model, which became a new paradigm for investors to optimize portfolios. Over the past few decades, portfolio optimization has become a field of interest for researchers and practitioners, and due to technological advancements, it is still a developing topic [8], [9]. Numerous studies have been conducted on portfolio optimization across diverse domains such as hedge funds [10], cryptocurrencies [11], energy [12], technology [13], and etc. Nevertheless, none of these studies have specifically concentrated on the automotive industry, which holds a significant position as one of the largest manufacturing sectors in the global economy. As a result, this research chose to include stocks from the automotive industry to form the portfolio. The automotive industry is one of the most important industries in the world, which generates enormous benefits for the global economy. In particular, this industry impacts a wide range of international concerns such as energy consumption, emissions, and trade. A large number of today's developing countries have recognized the importance of the automotive industry and have underpinning appropriate strategies to improve it. The Iranian automotive industry was established in 1959 and has since proven that it has achieved important results despite the volatility of this industry in terms of decisions, economic and political crises, cynicism, etc. Since the economic activity of this industry has a coherent pattern with that of the global economy, the automotive industry is very sensitive to the booms and busts of business cycles [14]. In view of this problem, investors need to be provided with a suitable approach to investment in this sector.

Thus, in this study, we propose an extended Conditional Drawdown at Risk (CDaR) portfolio optimization model with cardinality and threshold (quantity) constraints and attempt to construct an optimal portfolio for investment in the Iranian automotive industry. For this purpose, a realworld case study of automotive industry stocks on the Tehran Stock Exchange (TSE) is examined.

The remainder of this paper is organized as follows. Section 2 presents a real-world case study of the automotive industry stocks on the TSE to demonstrate the effectiveness of the proposed model. Section 3 is devoted to the extended CDaR portfolio optimization model. Section 4 presents the experiments performed and the computational results, and Section 5 concludes the paper and provides suggestions for possible future research.

2. Data

In order to demonstrate the effectiveness of the proposed model, a real-world empirical case study is presented in this section. In this numerical study, a single year's historic data for 31 financial assets, ranging from March 2022 to March 2023 is used. We divide one year into 22 subintervals and compute the rate of returns in periods of 10 days.

The information utilized in this paper was collected from the annual financial statements of automotive companies and their suppliers published each year in the TSE database. The selected assets are listed in Table 1.

Table 1: Selected asset data

Alternative	Asset	Alternative	Asset	
Aı	KHSH	A17	RIIR	
A_2	TAIR	A ₁₈	KFAN	
A_3	IKCO	A19	FNAR	
A_4	YASA	A ₂₀	GHAT	
A5	KRIR	A ₂₁	INDM	
A_6	PLKK	A ₂₂	KVRZ	
A_7	ТМКН	A23	BARZ	
A_8	RADI	A ₂₄	BHMN	
A9	RTIR	A25	GOST	
A10	RINM	A26	LENT	
A11	ZMYD	A ₂₇	MESI	
A ₁₂	SZPO	A ₂₈	MHKM	
A ₁₃	AZIN	A29	MNSR	
A ₁₄	SIPA	A ₃₀	MSTI	
A ₁₅	RENA	A ₃₁	NMOH	
A16	SHND			

3. Methodology

In this section, the definition of CDaR and the additional practical constraints in our portfolio optimization model is introduced first. Then, the final model is proposed in detail.

3.1. Definition of CDaR

Drawdown, defined as the decrease in portfolio value from the previous peak, is a permanent concern for investors and is frequently used in evaluating the performance of a portfolio. The drawdown measure aids investors construct portfolios that allow them to not lose more than a certain percentage of the maximum value of their assets accrued to that time. To address these concerns, Chekhlov et al. [15], [16] proposed a drawdown measure called CDaR, which is the average of a certain percentage of the largest drawdowns over the investment horizon. CDaR illustrate risk measures relatively new developments in risk management. In fact, CDaR possesses all the properties of a deviation convexity, measure, such as positive homogeneity, and non-negativity. The application of this risk measure is similar to Conditional Value-at-Risk (CVaR) studied by Rockafellar and Uryasev [17], [18], and can be considered as a modification of CVaR for the case when the loss function is defined as a drawdown. Krokhmal et al. [19] compared the CVaR and CDaR approaches for minimum-risk portfolios of individual hedge funds.

The CDaR model can be expressed as follows; Let w(x,t) be the uncompounded portfolio value at time t and suppose that $x = (x_1, x_2, ..., x_n)$ is the weights of assets in portfolio, thus the drawdown function at time t is defined by:

$$f(x,t) = \max_{0 \le \tau \le t} \{w(x,\tau)\} - w(x,t)$$
(1)

Suppose that r_{it} is the rate of return of *i*-th asset in *j*-th trading period. The uncompounded portfolio value at time *j* equals:

$$w(x,j) = \sum_{i=1}^{n} \left(1 + \sum_{t=1}^{j} r_{it} \right) x_i$$
(2)

Then, the drawdown function at time j can be expressed as below.

$$f(x,j) = \max_{1 \le k \le j} \left\{ \sum_{i=1}^{n} \left(\sum_{t=1}^{k} r_{it} \right) x_i \right\} - \sum_{i=1}^{n} \left(\sum_{t=1}^{j} r_{it} \right) x_i$$
(3)

Considering that CDaR is the average of the worst-case drawdowns observed in the considered sample path, we can define CDaR as follows:

$$CDaR_{\alpha}(x,\eta) = \eta_{\alpha} + (1-\alpha)^{-1} \sum_{j=1}^{J} [f(x,j) - \eta_{\alpha}]^{+}$$
(4)

where η represents the threshold drawdown level which is exceeded by $(1 - \alpha)J$ drawdowns, and $\alpha \in [0,1]$ denotes the confidence level. The CDaR model can also be represented as:

$$CDaR_{\alpha}(x,\eta) = \eta_{\alpha} + \frac{1}{(1-\alpha)J} \sum_{j=1}^{J} max \left\{ 0, \max_{1 \le k \le j} \left[\sum_{i=1}^{n} \left(\sum_{t=1}^{k} r_{it} \right) x_{i} \right] - \sum_{i=1}^{n} \left(\sum_{t=1}^{j} r_{it} \right) x_{i} - \eta_{\alpha} \right\}$$
(5)

If $(1 - \alpha)J$ was not integer, then the CDaR function is the solution of Equation (6).

$$CDaR_{\alpha}(x,\eta) = \min_{\eta} \left\{ \eta + \frac{1}{(1-\alpha)} \frac{1}{J} \sum_{j=1}^{J} max \left\{ 0, \max_{1 \le k \le j} \left[\sum_{i=1}^{n} \left(\sum_{t=1}^{k} r_{it} \right) x_{i} \right] - \sum_{i=1}^{n} \left(\sum_{t=1}^{j} r_{it} \right) x_{i} - \eta \right\} \right\}$$

$$(6)$$

The linear specification of the portfolio optimization model is demonstrated by Equations (7) to (12), as shown below:

$$\min \eta + \frac{1}{(1-\alpha)} \frac{1}{J} \sum_{j=1}^{J} (y_j)$$
(7)

Subjected to

$$\sum_{i=1}^{n} \mu_i x_i = \mu_p \tag{8}$$

$$y_j \ge \left\{ \sum_{i=1}^n \left(\sum_{t=1}^k r_{it} \right) x_i \right\} - \left\{ \sum_{i=1}^n \left(\sum_{t=1}^j r_{it} \right) x_i \right\}$$
(9)

$$y_j \ge 0 \tag{10}$$

$$\sum_{i=1}^{n} x_i = 1 \tag{11}$$

$$x_j \ge 0, \quad i = 1, 2, \dots, n$$
 (12)

3.2. Constraints

In practical portfolio optimization, additional constraints are usually included in the model to make the portfolio optimization more realistic [20]. Therefore, this study examines the following most commonly studied additional practical constraints on the proposed portfolio optimization model.

3.2.1. Cardinality Constraints

The cardinality constraint caps the number of assets held in a portfolio. This capability helps restrict the number of positions in the optimal allocation, thus reducing operating costs. The status of asset selection in this constraint is indicated by the binary variable Z_i ; thus, the cardinality constraint can be determined as follows:

$$\sum_{i=1}^{N} Z_i = K \tag{13}$$

 $Z_i \in \{0,1\}, \qquad i = 1, 2, \dots, n$ (14)

3.2.2. Threshold Constraints

Threshold constraints (quantity constraints), also known as floor and ceiling constraints, specify the minimum and maximum amounts of investment for each asset in a portfolio. Threshold constraints can be expressed as follows:

$$l_i Z_i \le x_i \le u_i Z_i, \quad i = 1, 2, \dots, n$$
 (15)

$$0 \le l_i \le u_i \le 1 \tag{16}$$

3.3. The Proposed Portfolio Optimization Model

The proposed portfolio optimization model with cardinality and threshold constraints is formulated as below:

$$\min \eta + \frac{1}{(1-\alpha)} \frac{1}{J} \sum_{j=1}^{J} (y_j)$$
(17)

Subjected to

$$\sum_{i=1}^{n} \mu_i x_i = \mu_p \tag{18}$$

$$y_j \ge \left\{ \sum_{i=1}^n \left(\sum_{t=1}^k r_{it} \right) x_i \right\} - \left\{ \sum_{i=1}^n \left(\sum_{t=1}^j r_{it} \right) x_i \right\}$$
(19)

$$y_j \ge 0 \tag{20}$$

$$\sum_{i=1}^{N} Z_i = K \tag{21}$$

$$l_i Z_i \le x_i \le u_i Z_i \tag{22}$$

$$Z_i \in \{0,1\}\tag{23}$$

$$\sum_{i=1}^{n} x_i = 1$$
 (24)

$$x_j \ge 0, \quad i = 1, 2, \dots, n \tag{25}$$

4. Computational Results

In this section, the computational results of the extended CDaR model with cardinality and threshold constraints for investment in the Iranian automotive industry are demonstrated.

The descriptive statistics of the selected assets are presented in Table 2.

Table 2: Descriptive statistics of the selected assets

	Mean	Variance	SD	Max	Min
KHSH	0.0031	0.0009	0.0292	0.0498	-0.0487
TAIR	0.0015	0.0008	0.0287	0.1306	-0.0653
IKCO	0.0014	0.0006	0.0237	0.05	-0.0489
YASA	0.0037	0.0005	0.0222	0.05	-0.0489
KRIR	0.0039	0.0011	0.033	0.1422	-0.0675
PLKK	0.002	0.0008	0.0288	0.0496	-0.0487

DOI: 10.22068/ase.2023.647

N7

	Mean	Variance	SD	Max	Min
TMKH	0.0034	0.0008	0.0276	0.0499	-0.0493
RADI	0.0037	0.0009	0.0307	0.1006	-0.0598
RTIR	0.0046	0.0008	0.028	0.05	-0.0487
RINM	0.002	0.0008	0.0277	0.0499	-0.0483
ZMYD	0.0056	0.0009	0.0298	0.0499	-0.0586
SZPO	0.0021	0.0006	0.025	0.0499	-0.0499
AZIN	0.0024	0.0007	0.0272	0.05	-0.0487
SIPA	0.001	0.0006	0.0254	0.0497	-0.0486
RENA	0.0036	0.0013	0.0354	0.0689	-0.0665
SHND	0.0015	0.0004	0.02	0.0499	-0.0489
RIIR	0.0021	0.0006	0.0237	0.0499	-0.0478
KFAN	0.0043	0.0009	0.03	0.0681	-0.0666
FNAR	0.0029	0.0011	0.033	0.1713	-0.0672
GHAT	0.0034	0.0011	0.0326	0.0694	-0.0662
INDM	0.0012	0.0007	0.0263	0.05	-0.0496
KVRZ	0.001	0.0006	0.0244	0.0698	-0.067
BARZ	0.0021	0.0005	0.0234	0.05	-0.0499
BHMN	0.0004	0.0007	0.0269	0.0691	-0.0698
GOST	0.0024	0.0011	0.0332	0.0697	-0.1339
LENT	-0.0014	0.0007	0.0266	0.0499	-0.0495
MESI	0.0053	0.0009	0.0293	0.0499	-0.0498
MHKM	0.0025	0.0009	0.0293	0.05	-0.0501
MNSR	0.0004	0.001	0.0319	0.0667	-0.0653
MSTI	0.0036	0.0008	0.0282	0.0498	-0.0484
NMOH	0.0041	0.0011	0.0329	0.0681	-0.0651

In these numerical results, the CDaR model was calculated with a reasonable level of 80% ($\alpha = 0.8$). This means that the optimization is done over 20% of the worst drawdowns. In this case study, we also set the lower bound $l_i = 0.1$ and the upper bound $u_i = 0.45$ for each asset, and the cardinality of the portfolio is set to k = 6.

After solving the CDaR model, the results are shown in Table 3.

Table 3: Summery of the optimal solution

Utility Function	A4	A9	A11	A15	A23	A27
0.04133492	0.10	0.45	0.10	0.11	0.14	0.10

The computational results indicate that YASA, RTIR, ZMYD, RENA, BARZ, and MESI are the assets assigned to the portfolio.

5. Conclusions

In this study, an extended CDaR model for portfolio optimization problems is proposed, which offers significant practical benefits in portfolio management. The CDaR risk functions family enables a risk manager to control the worst $(1 - \alpha) \times 100\%$ drawdowns. By statistically averaging the drawdowns, a better prediction of the risk in the future and a more stable portfolio can be achieved.

In this paper, we developed the CDaR model by incorporating cardinality and threshold constraints and tested the performance of the model using an application for managing a portfolio of the automotive industry, which is very sensitive to the booms and busts of business cycles. We have shown that the portfolio optimization problem can be solved efficiently with CDaR risk functions and is very well suited for the automotive industry, so it can be considered for other risky assets as well.

Finally, two areas for future research are suggested: first, identifying and adding other realistic criteria and constraints that investors may face, such as liquidity, transaction costs, preassignment, round-lots, etc.; and second, the use of uncertainty approaches to account for the ambiguity and reliability of the problem.

Declaration of Conflicting Interests

The authors declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Acknowledgements

The authors wish to express their appreciation for several excellent suggestions for improvements in this paper made by the anonymous referees.

References

- [1] A. M. L. Fooeik, H. Ghanbari, M. Bagheriyan, and E. Mohammadi, "Analyzing the effects of global oil, gold and palladium markets: Evidence from the Nasdaq composite index," *Journal of Future Sustainability*, vol. 2, no. 3, pp. 105–112, 2022, doi: 10.5267/J.JFS.2022.9.010.
- [2] H. Ghanbari, A. M. L. Fooeik, A. Eskorouchi. and E. Mohammadi. "Investigating the effect of US dollar, gold and oil prices on the stock market," Journal of Future Sustainability, vol. 2, 97–104, doi: no. 3. pp. 2022, 10.5267/J.JFS.2022.9.009.
- [3] M. Bagheriyan, H. Ghanbari, and H. Tohidi, "The Impact of gold and oil prices on the Nasdaq Composite," in 7th International Conference on Researches in Science & Engineering & 4th International Congress on Civil, Architecture and Urbanism in Asia, 2023.
- [4] J. Narkunienė and A. Ulbinaitė. "Comparative analysis of company performance evaluation methods," Entrepreneurship and sustainability issues, vol. 6, no. 1, pp. 125-138, 2018, doi: 10.9770/JESI.2018.6.1(10).
- A. Ahmed, R. Ali, A. Ejaz, and M. I. [5] "Sectoral integration Ahmad, and investment diversification opportunities: evidence from Colombo Stock Exchange," Entrepreneurship and Sustainability Issues, vol. 5, no. 3, pp. Mar. 514-527, 2018. doi: 10.9770/JESI.2018.5.3(8).
- [6] F. García, F. Guijarro, J. Oliver, and R. Tamošiūnienė, "Hybrid fuzzy neural network to predict price direction in the German DAX-30 index," *Technological and Economic Development of Economy*, vol. 24, no. 6, pp. 2161–2178, 2018, doi: 10.3846/TEDE.2018.6394.
- 4241 Automotive Science and Engineering (ASE)

- [7] H. Markowitz, "PORTFOLIO SELECTION*," *J Finance*, vol. 7, no. 1, pp. 77–91, 1952, doi: 10.1111/J.1540-6261.1952.TB01525.X.
- [8] H. Ghanbari, M. Safari, R. Ghousi, E. Mohammadi, and N. Nakharutai, "Bibliometric analysis of risk measures for portfolio optimization," *Accounting*, vol. 9, no. 2, pp. 95–108, 2023, doi: 10.5267/J.AC.2022.12.003.
- [9] A. Eskorouchi, H. Ghanbari, and E. Mohammadi, "A Scientometric Analysis of Robust Portfolio Optimization," *Iranian Journal of Accounting, Auditing and Finance*, Nov. 2023, doi: 10.22067/IJAAF.2023.84137.1402.
- [10] M. Molyboga and C. L'Ahelec, "A simulation-based methodology for evaluating hedge fund investments oa," *Journal of Asset Management*, vol. 17, no. 6, pp. 434–452, Oct. 2016, doi: 10.1057/JAM.2016.3/FIGURES/6.
- [11] Z. Aljinović, B. Marasović, and T. Šestanović, "Cryptocurrency Portfolio Selection—A Multicriteria Approach," *Mathematics 2021, Vol. 9, Page 1677*, vol. 9, no. 14, p. 1677, Jul. 2021, doi: 10.3390/MATH9141677.
- [12] E. Mohammadi, M. H. Karimi, and A. Eskorouchi, "Robust Forecasting of Levelized Cost of Energy Based on a Novel Approach of Uncertain Energy Portfolio Optimization", doi: 10.2139/SSRN.4376411.
- [13] D. H. Vo, T. N. Pham, T. T. V. Pham, L. M. Truong, and T. Cong Nguyen, "Risk, return and portfolio optimization for various industries in the ASEAN region," *Borsa Istanbul Review*, vol. 19, no. 2, pp. 132–138, Jun. 2019, doi: 10.1016/J.BIR.2018.09.003.
- [14] M. Manteghi, B. Abdi, and A. A. Tofigh,
 "Technological Vision in Automotive Industry and Presenting a Model For the Iranian Automotive Industry,"

Automotive Science and Engineering, vol. 1, no. 3, pp. 197–205, 2011, Accessed: Jul. 16, 2023. [Online]. Available: http://www.iust.ac.ir/ijae/article-1-33en.html

- [15] A. Chekhlov, S. Uryasev, and M. Zabarankin, "DRAWDOWN MEASURE IN PORTFOLIO OPTIMIZATION," *https://doi.org/10.1142/S0219024905002* 767, vol. 8, no. 1, pp. 13–58, Nov. 2011, doi: 10.1142/S0219024905002767.
- [16] A. Chekhlov, S. Uryasev, and M. Zabarankin, "Portfolio optimization with drawdown constraints," *Supply Chain And Finance*, pp. 209–228, Jan. 2004, doi: 10.1142/9789812562586_0013.
- [17] R. T. Rockafellar and S. Uryasev, "Optimization of conditional value-atrisk," *The Journal of Risk*, vol. 2, no. 3, pp. 21–41, 2000, doi: 10.21314/JOR.2000.038.
- [18] R. T. Rockafellar and S. Uryasev, "Conditional value-at-risk for general loss distributions," *J Bank Financ*, vol. 26, no. 7, pp. 1443–1471, Jul. 2002, doi: 10.1016/S0378-4266(02)00271-6.
- P. Krokhmal, S. Uryasev, and G. [19] Zrazhevsky, "Numerical Comparison of Conditional Value-at-Risk and Conditional Drawdown-at-Risk Approaches: Application to Hedge Funds," MOS-SIAM Series on Optimization, pp. 609-631, Jan. 2005, doi: 10.1137/1.9780898718799.CH29.
- [20] Y. Jin, R. Qu, and J. Atkin, "Constrained portfolio optimisation: The state-of-theart Markowitz models," *ICORES 2016 -Proceedings of the 5th International Conference on Operations Research and Enterprise Systems*, pp. 388–395, 2016, doi: 10.5220/0005758303880395.

[Downloaded from railway.iust.ac.ir on 2024-09-16]